

Wilo Sensorless
Sensorless Inline Pumps

Brochure



Wilo Sensorless Sensorless Inline Pumps


Applications Include:

- » Hot Water Heating Systems
- » Industrial Circulation Systems
- » Closed Cooling Circuits
- » Air-conditioning Systems

Wilo Sensorless



Wilo Vertical In-Line Centrifugal Pump



- » Highly efficient sensorless drive up to 200 HP
- » Pump Sizes 1.25" - 10"
- » Single stage, low pressure, inline centrifugal pump
- » Heads to 400', flows to 3500 USGPM
- » Available in glanded construction, mechanical shaft seal, and flanged connections
- » Easy installation and start-up, fully site adjustable with only four parameters.
- » Automatic speed regulation providing optimal energy savings.
- » Optional communication protocol for building automation communication network.
- » Maximum Operating Pressure 12 bar (17 bar) 175 psi (250 psi)
- » Maximum Hydrostatic Test Pressure 18 bar (25 bar) 262 psi (362 psi)
- » Standard Temp. Mech. Seal -10°C to 135°C (-23°F to 275°F)
- » Power supply 3~ 240, 480, 600V, 60 Hz

WILO USA LLC

Toll-Free: 888-945-6872
Web: www.wilo-usa.com
Email: info@wilo-usa.com

WILO Canada Inc.

Toll-Free: 866-945-6236
Web: www.wilo-canada.com
Email: info@wilo-canada.com

wilo®